

Success Tips for the Oracle Cloud Infrastructure Exam 1Z0-1109-24

If you're preparing for the Oracle Cloud Infrastructure exam **1Z0-1109-24**, you might be feeling a mix of excitement and anxiety. This certification is highly regarded and can lead to numerous job opportunities in the field of *Cloud DevOps*. In this article, we will share essential tips and resources that will help you tackle this exam confidently.

Understand the Structure of the 1Z0-1109-24 Exam

The first step in your preparation is understanding what the exam entails. Familiarize yourself with the exam topics. The exam covers various *cloud services*, *DevOps concepts*, and best practices. Knowing the structure will help you identify areas you need to focus on.

Gather Study Materials

Quality study materials can significantly enhance your preparation. Look for books, online courses, and practice tests specifically designed for the **1Z0-1109-24** exam. Reliable [study guides](#) can provide in-depth knowledge and help you grasp complex concepts.

Tip: Join study groups or online forums. Engaging with others can provide new insights and motivation.

Enhance Cloud DevOps Skills

Cloud DevOps skills are crucial for this certification. Focus on learning *automation tools*, *CI/CD pipelines*, *monitoring*, and *security* in cloud environments. Practical experience is invaluable, so try to get hands-on practice if possible. You can find useful resources [here](#).

Take Practice Exams

Once you feel prepared, take practice exams to test your knowledge. These exams will help you familiarize yourself with the question format and time constraints. Use the results to identify areas that need more review.

Focus on Key Concepts

While it's essential to cover all topics, there are key concepts you should pay extra attention to, such as:

- DevOps lifecycle
- Infrastructure as Code (IaC)
- Cloud service models (IaaS, PaaS, SaaS)
- Continuous integration and delivery principles

Tip: Create a study schedule. Allocate specific times for each topic to ensure comprehensive coverage before the exam.

Stay Updated with Oracle Cloud Infrastructure

Oracle frequently updates its cloud services and certification exams. Staying up-to-date will ensure you're aware of any changes that could affect your exam. Follow Oracle's official communications or community discussions for the latest news.

Develop a Relaxation Strategy

While preparation is important, take care of your mental health. Practice relaxation techniques like deep breathing or meditation before studying or on exam day. A calm mind will help you perform better.

Plan for Exam Day

On the day of the exam, make sure you arrive early and bring all necessary materials. Get a good night's sleep before the exam. Having a clear mind will make a significant difference in your performance.

Final Thoughts

Preparing for the **1Z0-1109-24** Oracle Cloud Infrastructure DevOps Professional certification requires dedication. By following these tips, utilizing quality study materials, and practicing consistently, you will be well on your way to success. Embrace the journey and believe in yourself!

Real Exam Questions 2025

Below given questions are for demo purposes only. **The full version** is up-to-date and contains actual questions and answers.

Why Choose CertKillers?

Actual Exam Questions: We provide real exam questions updated regularly.

Exam Dumps: Downloadable PDFs with comprehensive questions and answers.

Weekly Live updates: Study Material questions and answers – Live updates.

Practice Tests: Practice tests and VCE PDF to assess your readiness.

Multi-Lingual Support: Full Version products available for download in all popular languages.

Success Guarantee: Pass your exam on the first attempt or get a refund.

Up-To-Date Test Questions: Up-to-Date Test Prep Questions that cover 2025 syllabus.

Instant Download: Instant download after successful payment.

Visit CertKillers

[HCIE-WLAN-Written-V1-0.pdf](#)

[CCIE-SP-Optical-Qualification.pdf?target=97a0592e-37ad-4635-aa13-9ec9fee1879c](#)

[Assess--IBM-Tivoli-Endpoint-Manager-for-Mobile-Dev.pdf?target=2a381eb9-efb7-4ad4-b6d7-08c0dd7c237f](#)

[Fundamentals-of-Applying-IBM-SmartCloud-Control-De.pdf?target=95f6ba13-6a08-4b1d-9741-5f0ba7025d1e](#)

[IBM-Digital-Marketing-Optimization-Sales-Mastery-v.pdf?target=31ef1bf9-2147-4577-87fc-9bc5459df9c5](#)

[CA-Clarity-PPM-v12-Business-Analyst.pdf?target=7ca2af70-6364-4dc9-9df8-dda03b044690](#)

[SAP-S-4HANA-Cloud-public-Supply-Chain-Implementation.pdf](#)

[Certified-Lean-Six-Sigma-Green-Belt---CLSSGB.pdf?target=f79d0d0f-c5f2-4c64-9a6f-2082ffff4fbb](#)

[Certified-Pega-Business-Architect-CPBA-74V1-CPBA-v.pdf?target=246fd589-ebfb-4ce8-9dc4-0cc2ffdf79b2](#)

[Dell XtremIO Design Achievement.pdf](#)



Oracle

1Z0-1109-24 Exam

Oracle Cloud Infrastructure 2024 DevOps Professional

Thank you for Downloading 1Z0-1109-24 exam PDF Demo

You can Buy Latest 1Z0-1109-24 Full Version Download

<https://www.certkillers.net/Exam/1Z0-1109-24>

<https://www.certkillers.net>

Version: 4.0

Question: 1

As a cloud engineer, you are responsible for managing a Kubernetes cluster on the Oracle Cloud Infrastructure (OCI) platform for your organization. You are looking for ways to ensure reliable operations of Kubernetes at scale while minimizing the operational overhead of managing the worker node infrastructure.

Which cluster option is the best fit for your requirement?

- A. Using OCI OKE managed nodes with cluster autoscalers to eliminate worker node infrastructure management
- B. Using OCI OKE virtual nodes to eliminate worker node infrastructure management
- C. Using Kubernetes cluster add-ons to automate worker node management
- D. Creating and managing worker nodes using OCI compute instances

Answer: B

Explanation:

Step 1: Understanding the Requirement

The goal is to ensure reliable operations of Kubernetes at scale while minimizing the operational overhead of managing worker node infrastructure. In this context, a solution is needed that abstracts away the complexity of managing, scaling, and maintaining worker nodes.

Step 2: Explanation of the Options

A . Using OCI OKE managed nodes with cluster autoscalers

While this option provides managed node pools and uses cluster autoscalers to adjust resources based on demand, it still requires some level of management for the underlying worker nodes (e.g., patching, upgrading, monitoring).

Operational overhead: Moderate.

B . Using OCI OKE virtual nodes

Virtual nodes in OCI OKE are a serverless option for running Kubernetes pods. They remove the need to manage underlying worker nodes entirely.

OCI provisions resources dynamically, allowing scaling based purely on pod demand.

There's no need for node management, patching, or infrastructure planning, which perfectly aligns with the requirement to minimize operational overhead.

Operational overhead: Minimal.

Best Fit for This Scenario: Since the requirement emphasizes minimizing operational overhead, this is the

ideal solution.

C . Using Kubernetes cluster add-ons to automate worker node management

Kubernetes add-ons like Cluster Autoscaler or Node Problem Detector help in automating some aspects of worker node management. However, this still requires managing worker node infrastructure at the core level.

Operational overhead: Moderate to high.

D . Creating and managing worker nodes using OCI compute instances

This involves manually provisioning and managing compute instances for worker nodes, including scaling, patching, and troubleshooting.

Operational overhead: High.

Not Suitable for the Requirement: This option contradicts the goal of minimizing operational overhead.

Step 3: Why Virtual Nodes Are the Best Fit

Virtual Nodes in OCI OKE:

Virtual nodes provide serverless compute for Kubernetes pods, allowing users to run workloads without provisioning or managing worker node infrastructure.

Scaling: Pods are automatically scheduled, and the required infrastructure is dynamically provisioned behind the scenes.

Cost Efficiency: You only pay for the resources consumed by the running workloads.

Use Case Alignment: Eliminating the burden of worker node infrastructure management while ensuring Kubernetes reliability at scale.

Step 4: References and OCI Resources

OCI Documentation:

[OCI Kubernetes Virtual Nodes](#)

[OCI Container Engine for Kubernetes Overview](#)

Best Practices for Kubernetes on OCI:

[Best Practices for OCI Kubernetes Clusters](#)

Question: 2

How do OCI DevOps Deployment Pipelines reduce risk and complexity of production applications?

- A. By reducing change-driven errors introduced by manual deployments
- B. By scaling builds with service-managed build runners
- C. By working with existing Git repositories and CI systems
- D. By eliminating downtime of production applications

Answer: A

Explanation:

OCI DevOps Deployment Pipelines automate the process of deploying applications to production

environments. By using automated, repeatable deployment processes, they help reduce the risk of change-driven errors, which are often introduced during manual deployments. This automation reduces human errors and ensures consistency across environments, thus minimizing complexity and risk in production.

Question: 3

How does the Oracle Cloud Infrastructure Container Engine for Kubernetes (OKE) Cluster Autoscaler determine when to create new nodes for an OKE cluster?

- A. When the CPU or memory utilization crosses a configured threshold.
- B. When the resource requests from pods exceed a configured threshold.
- C. When the custom metrics from the services exceed a configured threshold.
- D. When the rate of requests to the application crosses a configured threshold.

Answer: B

Explanation:

The OKE Cluster Autoscaler automatically adjusts the number of worker nodes in an OKE cluster based on the resource requests made by Kubernetes pods. When there are not enough resources available (e.g., CPU or memory) on existing nodes to accommodate pending pods, the Cluster Autoscaler will create new nodes to meet the resource demand.

Question: 4

A team wants to deploy artificial intelligence and machine learning workloads in their OCI Container Engine for Kubernetes (OKE) cluster. They prioritize strong isolation, cost-efficiency, and the ability to leverage serverless capabilities.

Which solution is best suited for their requirements?

- A. Virtual nodes in OKE
- B. Self-Managed Nodes in OKE
- C. Managed nodes in OKE
- D. Container Instances in OCI

Answer: A

Explanation:

Virtual nodes in OKE provide a serverless experience for deploying Kubernetes workloads, which means you do not have to manage or scale the underlying infrastructure. This solution is particularly cost-efficient because you only pay for the resources used by the pods, and it provides strong isolation for workloads.

Virtual nodes are well suited for AI/ML workloads as they allow users to easily scale compute resources without being constrained by the limits of individual worker nodes.

Question: 5

Which command creates the docker registry secret required in the application manifests for OKE to pull images from Oracle Cloud Infrastructure Registry?

A)

```
kubect1 create secret docker-registry <secret-name> --docker-server=  
<region-key>.ocir.io --docker-username=<oci-username> --docker-  
password='<oci-auth-token>' --docker-email=<email-address>
```

B)

```
kubect1 create passwd docker-registry <secret-name> --docker-server=  
<region-key>.oke.io --docker-username=<tenancy-namespace>/<oci-  
username> --docker-password='<oci-auth-token>' --docker-email=<email-  
address>
```

C)

```
kubect1 create passwd docker-registry <secret-name> --docker-server=  
<region-key>.oke.io --docker-username=<oci-username> --docker-  
password='<oci-auth-token>' --docker-email=<email-address>
```

D)

```
kubect1 create secret docker-registry <secret-name> --docker-server=  
<region-key>.ocir.io --docker-username=<tenancy-namespace>/<oci-  
username> --docker-password='<oci-auth-token>' --docker-email=<email-  
address>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

Explanation:

To create a Docker registry secret to pull images from the Oracle Cloud Infrastructure Registry (OCIR), you need to specify the correct parameters such as the region key, namespace, OCI username, and OCI authentication token.

Chosen command is correct because:

The `kubectl create secret docker-registry` command creates a Docker registry secret.

The `--docker-server=<region-key>.ocir.io` specifies the correct endpoint for OCIR.

The `--docker-username=<tenancy-namespace>/<oci-username>` provides both the tenancy namespace and the OCI username, which is the required format for authentication with OCIR.

The `--docker-password='<oci-auth-token>'` specifies the OCI auth token, which acts as a password for authentication.

The `--docker-email=<email-address>` is also included.

The other commands have errors, such as missing tenancy namespace or using incorrect flags (`passwd` instead of `secret`).

Thank You for trying 1Z0-1109-24 PDF Demo

To Buy New 1Z0-1109-24 Full Version Download visit link below

<https://www.certkillers.net/Exam/1Z0-1109-24>

Start Your 1Z0-1109-24 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 1Z0-1109-24 preparation with actual exam questions.

<https://www.certkillers.net>