

NSE7_NST-7-2 Exam: Your Path to *Fortinet NSE 7 Certification*

The **NSE7_NST-7-2** exam is crucial if you aim to achieve the **Fortinet NSE 7 certification**. This certification demonstrates your expertise as a *Network Security support engineer*, vital skills in today's digital landscape.

Understanding the NSE7_NST-7-2 Exam

This exam tests your knowledge of *Network Security 7.2*. To excel, you need a solid study strategy. Here's a simple guide to create an effective exam prep plan.

Essential Study Tips

- **Review the Syllabus:** Familiarize yourself with the exam topics. Understanding what to expect is half the battle.
- **Hands-On Practice:** Practical experience with *Fortinet products* will help reinforce your learning.
- **Utilize Practice Questions:** Working through [NSE7 practice questions](#) can highlight your strengths and weaknesses.
- **Join Study Groups:** Collaborating with peers can provide new insights and help keep you motivated.

Finding Quality Training Resources

When seeking *Network Security 7.2 training*, ensure you choose reputable material. Look for study guides specifically designed for **Fortinet certification**. These resources typically cover all essential topics and provide structured learning paths.

Creating a Study Schedule

Set aside regular hours each week to focus on your studies. **Consistency** is key. Break the material into manageable sections and set specific goals for each session.

Practice Makes Perfect

As you approach your exam date, increase the number of practice questions you tackle. Simulate the exam environment by timing yourself. This will help ease anxiety on the actual

test day.

Day of the Exam Tips

- **Stay Calm:** A relaxed mindset will help you think more clearly.
- **Review Your Answers:** If you have time, go back and double-check your responses.
- **Use Your Time Wisely:** Ensure you don't spend too long on any one question.

After the Exam

Once you've completed the [NSE7_NST-7-2 exam](#), celebrate your hard work! Whether you pass or need to retake it, remember that each attempt is a learning experience.

Conclusion

With the right preparation and mindset, you can conquer the **NSE7_NST-7-2 exam** and achieve the **Fortinet NSE 7 certification**. Use the tips and strategies shared here to guide your study journey. Good luck!

Real Exam Questions 2025

Below given questions are for demo purposes only. **The full version** is up-to-date and contains actual questions and answers.

Why Choose CertKillers?

Actual Exam Questions: We provide real exam questions updated regularly.

Exam Dumps: Downloadable PDFs with comprehensive questions and answers.

Weekly Live updates: Study Material questions and answers – Live updates.

Practice Tests: Practice tests and VCE PDF to assess your readiness.

Multi-Lingual Support: Full Version products available for download in all popular languages.

Success Guarantee: Pass your exam on the first attempt or get a refund.

Up-To-Date Test Questions: Up-to-Date Test Prep Questions that cover 2025 syllabus.

Instant Download: Instant download after successful payment.

Visit CertKillers

[Administrator-Certification-for-Apache-Cassandra.pdf](#)

[TS--Configuring-Microsoft-Office-SharePoint-Server.pdf?target=e85601e3-cb6a-438d-982c-9a18cfc5339b](#)

[Implementing-Cisco-Collaboration-Devices---CICD.pdf?target=2d649fbd-4b2d-4784-840c-9cdeda20187a](#)
[fcp_faz_ad-7.4.pdf](#)

[latest_oracle_1d0-1057-24-d_exam_dumps_2025_questions.pdf](#)

[IBM-Rational-IT-Sales-Mastery-Test-v2.pdf?target=9ac6bc37-f09d-44fe-ad53-ef3cb9bc6331](#)

[iTPGISsBWqKkSYjbAFAA-Certified-Personal-Fitness-Trainer-Exam.pdf](#)

[1d0-1056-24-d_exam_dumps_to_pass_exam_on_the_initially_try.pdf](#)

[XQLapT2SJzypR0D3National-Asthma-Educator-Certification-Board-Examination.pdf](#)

[Acquia-Certified-Personalization-Marketer.pdf](#)

Fortinet

NSE7_NST-7.2 Exam

Fortinet NSE 7 - Network Security 7.2 Support Engineer



Thank you for Downloading NSE7_NST-7.2 exam PDF Demo

You can buy Latest NSE7_NST-7.2 Full Version Download

https://www.certkillers.net/Exam/NSE7_NST-7.2

Version: 4.0

Question: 1

Refer to the exhibit, which shows the omitted output of a real-time OSPF debug

```
OSPF: RECV[Hello]: From 0.0.0.112 via port2:192.168.37.114 (192.168.37.115 -> 224.0.0.5)
OSPF: -----
OSPF: Header
OSPF:   Version 2
OSPF:   Type 1 (Hello)
OSPF:   Packet Len 48
OSPF:   Router ID 0.0.0.112
OSPF:   Area ID 0.0.0.0
OSPF:   Checksum 0x2f85
OSPF:   AuType 0
OSPF: Hello
OSPF:   NetworkMask 255.255.255.0
OSPF:   HelloInterval 10
OSPF:   Options 0x2 (*| -| -| -| -| E| -)
OSPF:   RtrPriority 1
OSPF:   RtrDeadInterval 40
OSPF:   DRouter 192.168.37.114
OSPF:   BDRouter 192.168.37.115
OSPF:   # Neighbors 1
OSPF:     Neighbor 0.0.0.111
OSPF: -----
OSPF: RECV[Hello]: From 0.0.0.112 via port2:192.168.37.114: Authentication type mismatch
```

Which statement is false?

- A. A password has been configured on the local OSPF router but is not shown in the output
- B. The Hello packet is being sent from an OSPF router with ID 0.0.0.112.
- C. The two FortiGate devices attempting adjacency are in area 0.0.0.0.
- D. One FortiGate device is configured to require authentication, while the other is not

Answer: A

Explanation:

Examine the OSPF debug output:

The OSPF Hello packet debug output shows the Router ID as 0.0.0.112.

It shows that the OSPF packet is being sent from 0.0.0.112 via port2:192.168.37.114.

The OSPF Hello packet contains information such as the network mask (255.255.255.0), hello interval (10), router priority (1), dead interval (40), and designated router (192.168.37.114) and backup designated router (192.168.37.115).

Check the area configuration:

The area ID is shown as 0.0.0.0, indicating that the two devices attempting adjacency are in area 0.0.0.0.

Authentication mismatch:

The debug output indicates an "Authentication type mismatch". This means one device is configured to require authentication while the other is not.

Password configuration:

The statement claiming that "A password has been configured on the local OSPF router but is not shown in the output" is false because the output indicates an authentication mismatch, not the presence or absence of a password. The other statements are true based on the provided debug output.

Reference:

Fortinet Network Security 7.2 Support Engineer Documentation

OSPF Configuration Guides

Question: 2

Which of the following regarding protocol states is true?

- A. proto_state=00 indicates that UDP traffic flows in both directions.
- B. proto_state=01 indicates an established TCP session.
- C. proto_state=10 indicates an established TCP session.
- D. proto state=01 indicates one-way ICMP traffic.

Answer: C

Explanation:

Understanding protocol states:

proto_state=00: Indicates no traffic or a closed session.

proto_state=01: Typically indicates one-way ICMP traffic or a partially established TCP session.

proto_state=10: Indicates an established TCP session, where the session has completed the three-way handshake and both sides can send and receive data.

proto_state=11: Often indicates a fully established and active bidirectional session.

Explanation of correct answer:

proto_state=10 is the correct indication for an established TCP session as it signifies that the session is fully established and active.

Reference:

Fortinet Network Security 7.2 Support Engineer Documentation

Fortinet Firewall Protocol State Documentation

Question: 3

Which statement is correct regarding LDAP authentication using the regular bind type?

- A. The regular bind type goes through four steps to successfully authenticate a user.

- B. The regular bind type cannot be used if users are authenticated using sAMAccountName.
- C. The regular bind type is the easiest bind type to configure on FortiOS.
- D. The regular bind type requires a FortiGate super_admin account.

Answer: A

Explanation:

LDAP Authentication Process:

The regular bind type for LDAP authentication involves multiple steps to verify user credentials.

Step 1: The client sends a bind request with the username to the LDAP server.

Step 2: The LDAP server responds to the bind request.

Step 3: The client sends a bind request with the password.

Step 4: The LDAP server responds, confirming or denying the authentication.

Explanation of Answer:

The regular bind type follows these four steps to authenticate a user, making it a comprehensive method but not necessarily the easiest to configure.

The statement regarding sAMAccountName and super_admin account requirements are not accurate in the context of regular bind type LDAP authentication on FortiOS.


Reference:

Fortinet Network Security 7.2 Support Engineer Documentation

FortiOS LDAP Authentication Configuration Guides

Question: 4

Refer to the exhibit.



FortiGate has already been configured with a firewall policy that allows all ICMP traffic to flow from port1 to port3.

Which changes must the administrator perform to ensure the server at 10.4.0.1/24 receives the echo reply from the laptop at 10.1.0.1/24?

- A. Enable asymmetric routing under config system settings.
- B. Modify the default gateway on the laptop from 10.1.0.2 to 10.2.0.2
- C. A firewall policy that allows all ICMP traffic from port3 to port1.
- D. Change the configuration from strict RPF check mode to feasible RPF check mode

Answer: C

Explanation:

Current Configuration Analysis:

The firewall policy currently allows ICMP traffic from port1 to port3, enabling the ICMP echo request to reach the server.

However, for the server to send an ICMP echo reply back to the laptop, the traffic must be allowed from port3 to port1.

Required Configuration:

To ensure the server at 10.4.0.1/24 can send the ICMP echo reply back to the laptop at 10.1.0.1/24, the administrator needs to configure a new firewall policy.

The policy must explicitly allow ICMP traffic from port3 to port1.

Steps to Configure:

Access the FortiGate configuration interface.

Navigate to the Firewall Policy section.

Create a new policy allowing ICMP traffic from port3 to port1.

Save and apply the new policy to ensure bidirectional ICMP traffic is permitted.

Reference:

Fortinet Network Security 7.2 Support Engineer Documentation

FortiGate Firewall Policy Configuration Guides

Question: 5

Which two conditions would prevent a static route from being added to the routing table? (Choose two.)

- A. The next-hop IP address is unreachable.
- B. The interface specified in the route configuration is down
- C. The route has a lower priority value than another route to the same destination.
- D. There is another other route to the same destination, with a lower distance.

Answer: AB

Explanation:

Next-hop IP address:

For a static route to be added to the routing table, the next-hop IP address must be reachable. If it is not reachable, the route cannot be considered valid and will not be added.

Interface status:

If the interface specified in the static route configuration is down, the route will not be added to the routing table. The interface must be up and operational for the route to be valid.

Priority and Distance:

While priority and administrative distance affect route selection, they do not prevent a route from being added to the routing table. Instead, they influence which route is preferred when multiple routes to the same destination exist.

Reference:

Fortinet Network Security 7.2 Support Engineer Documentation

Routing Configuration and Troubleshooting Guides

Thank You for trying NSE7_NST-7.2 PDF Demo

To try our NSE7_NST-7.2 Full Version Download visit link below

https://www.certkillers.net/Exam/NSE7_NST-7.2

Start Your NSE7_NST-7.2 Preparation

Use Coupon “**CKNET**” for Further discount on the purchase of Full Version Download. Test your NSE7_NST-7.2 preparation actual exam with questions.