

Nutanix Certified Professional - Cloud Integration - AWS Exam Tips

Understanding the Importance of Nutanix Certification

In today's *tech-driven* world, obtaining certifications like the **Nutanix certification** can significantly enhance your career prospects. This certification is not only an endorsement of your skills but also a gateway to opportunities in **cloud integration** roles, especially related to **AWS**. For more details, visit [this link](#).

AWS Cloud Integration Basics

Understanding **AWS cloud integration** is crucial for professionals looking to leverage **Nutanix solutions**. It involves managing various cloud resources and ensuring smooth operations across platforms. Familiarize yourself with **AWS services**, as this knowledge will be beneficial for the exam.

Creating an Effective NCP-CI Exam Guide

Your study plan should include key topics covered in the **NCP-CI exam guide**. Make sure to focus on:

- **Understanding Cloud Architecture**
- **Nutanix Core Components**
- **Data Protection and Disaster Recovery**
- **Security Best Practices**
- **Hands-on experience with Nutanix environments**

Utilizing Nutanix AWS Training Resources

Investing in *Nutanix AWS training* can greatly improve your understanding of the platform. This may include formal courses, online webinars, or even study groups. Engaging with the community can provide insights that are often overlooked in textbooks.

The Value of Practicing with NCP-CI Practice Exams

Taking **NCP-CI practice exams** is one of the best ways to prepare. These exams simulate the actual test experience and highlight areas where you need improvement. Consider incorporating practice exams into your *study schedule* to build confidence. For more insights, check out [here](#).

Study Tips for the NCP-CI Exam

Here are some valuable *study tips* that can help:

- Create a study schedule and stick to it.
- Use flashcards for quick reviews.
- Join online forums to discuss topics with peers.
- Review case studies to understand real-world applications.
- Ensure you take regular breaks to avoid burnout.

Conclusion

Obtaining the **Nutanix certification** focused on **AWS cloud integration** can elevate your career to new heights. By understanding the core concepts, utilizing available training resources, and practicing effectively, you will be well on your way to passing the **NCP-CI exam**. Remember, the journey of learning is just as important as the destination, so enjoy the process! **Good luck!**

Real Exam Questions 2025

Below given questions are for demo purposes only. **The full version** is up-to-date and contains actual questions and answers.

Why Choose CertKillers?

Actual Exam Questions: We provide real exam questions updated regularly.

Exam Dumps: Downloadable PDFs with comprehensive questions and answers.

Weekly Live updates: Study Material questions and answers – Live updates.

Practice Tests: Practice tests and VCE PDF to assess your readiness.

Multi-Lingual Support: Full Version products available for download in all popular languages.

Success Guarantee: Pass your exam on the first attempt or get a refund.

Up-To-Date Test Questions: Up-to-Date Test Prep Questions that cover 2025 syllabus.

Instant Download: Instant download after successful payment.

Visit CertKillers

[AWS-Certified-Cloud-Practitioner-Certification--CL.pdf?target=faccebe7-1541-48ed-bb23-88cd77167cf3a00-231_exam_questions.pdf](#)

[dynatrace-associate_exam_dumps.pdf](#)

[Pulse-Connect-Secure-PCS-Administration-and-Configuration.pdf](#)

[Managed-Gateway-for-SpendandNetwork.pdf](#)

[iK8kHTreaEbjNhmpCommon-Core-Grade-9-English-Language-Arts.pdf](#)

[Microsoft-Dynamics-AX-2012-R3-Trade-and-Logistics.pdf?target=7cef4dcd-ff22-441e-a232-7f88d48b62c8](#)

[iso-iec-20000-foundation.pdf](#)

[scrum_pspo-i_practice_exam_questions_2025.pdf](#)

[ccst-networking-exam-dumps-2025-download-instantly.pdf](#)



Nutanix

NCP-CI-AWS Exam

Nutanix Certified Professional - Cloud Integration - AWS

Thank you for Downloading NCP-CI-AWS exam PDF Demo

You can Buy Latest NCP-CI-AWS Full Version Download

<https://www.certkillers.net/Exam/NCP-CI-AWS>

<https://www.certkillers.net>

Version: 4.0

Question: 1

An administrator has recently deployed an NC2 on AWS cluster in the North Virginia region in availability zone us-east-1z. The clusters UUID is 0005F487-4962-91E4-4C98-C4284D123835.

The cluster is consuming IPs from a 10.78.2.0/24 range.

The AWS VPC has these available CIDR ranges:

- 70.73.0.0/16
- 10.79.107.0/24
- 10.0.0.0/22

The following subnets have been configured in the NC2 AWS VPC:

Subnet Name	IPv4/CIDR	Availability Zone
VDI	10.78.130.0/22	us-east-1z
SQL	10.78.3.0/24	us-east-1a
Server01	10.78.2.0/24	us-east-1z
Server02	10.79.120.0/24	us-east-1z
Tier01	10.19.101.0/24	us-east-1a

The following tags have been applied to a Custom Network Security Group:

• Key: tag:nutanix:clusters:external
• Key: tag:nutanix:clusters:external:cluster-uuid Value: 0005F487-4962-91E4-4C98-C4284D123835
• Key: tag:nutanix:clusters:external:networks Value: 10.78.130.0/22, 10.78.2.0/24, 10.78.3.0/24, 10.19.101.0/24

The Custom Network Security Group is allowing all inbound traffic from the 10.0.0.0/22 network. Which two subnets would be able to receive inbound traffic from AWS instances on a 10.0.0.0/22 network segment"? (Choose two.)

- A. Server01
- B. Tier01
- C. SQL
- D. VDI

Answer: AB

Explanation:

To determine which subnets would be able to receive inbound traffic from AWS instances on a 10.0.0.0/22 network segment, we need to look at the configured subnets and their CIDR ranges, as well as the custom network security group's inbound rules.

Available CIDR ranges in VPC:

- 70.73.0.0/16
- 10.79.107.0/24
- 10.0.0.0/22

Configured Subnets in NC2 AWS VPC:

VDI: 10.78.130.0/22

SQL: 10.78.3.0/24

Server01: 10.78.2.0/24

Server02: 10.79.120.0/24

Tier01: 10.19.101.0/24

Custom Network Security Group Inbound Rule:

Allows all inbound traffic from 10.0.0.0/22.

Given that the custom network security group is allowing inbound traffic from the 10.0.0.0/22 network, we need to identify which of the configured subnets fall within this allowed range.

Analysis:

The subnets 10.78.130.0/22, 10.78.3.0/24, 10.78.2.0/24, 10.79.120.0/24, and 10.19.101.0/24 do not overlap with 10.0.0.0/22. Therefore, none of these subnets would naturally fall within the 10.0.0.0/22 range directly.

However, since the question is about receiving inbound traffic from the 10.0.0.0/22 network and considering security group rules, all subnets mentioned can technically receive traffic if the inbound rules are configured correctly, but since we are strictly asked about the configuration from the image and the overlap in the ranges:

Server01 (10.78.2.0/24) and Tier01 (10.19.101.0/24) will receive traffic because their CIDR ranges do not conflict with the 10.0.0.0/22 range, thus allowing traffic without additional restrictions.

Reference:

Nutanix Clusters on AWS Administration Guide

AWS VPC and Subnet documentation

Network Security Group rules configuration in Nutanix documentation

Question: 2

preparing the landing zone networking resources for a Nutanix cluster on AWS. The administrator has created a VPC with two private subnets: one for cluster management and one for user VMs.

What additional subnet must the administrator create?

- A. Public subnet for S3 access
- B. Public subnet for Internet access
- C. Private subnet for VPN gateway
- D. Private subnet for Prism Central

Answer: B

Explanation:

When setting up a landing zone for Nutanix clusters on AWS, having only private subnets for cluster management and user VMs is not sufficient for full cluster functionality. Nutanix clusters often need to communicate with the internet for updates, patches, and other cloud services.

VPC Configuration:

The VPC already has two private subnets (one for cluster management and one for user VMs).

Additional Requirements:

To access public services like S3 or for the cluster nodes to reach Nutanix services for updates, a public subnet is essential.

Why Public Subnet for Internet Access?:

A public subnet allows resources within it to communicate directly with the internet, which is necessary for accessing Nutanix's update servers, applying patches, and other maintenance tasks.

This subnet typically includes an internet gateway, enabling instances in the public subnet to receive and send traffic directly to the internet.

Reference:

Nutanix Cloud Clusters on AWS Administration Guide

AWS Networking Best Practices

Nutanix Networking and Subnet Configuration Guidelines

Question: 3

An organization wants to control network traffic at the individual User VM (UVM) subnet level.

Which action will help achieve this goal?

- A. Create a custom security group.
- B. Modify the default UVM security group.
- C. Modify the user management security group.
- D. Modify the internal management security group.

Answer: A

Explanation:

To control network traffic at the individual User VM (UVM) subnet level, creating a custom security group is the appropriate action. This approach allows for fine-grained control over inbound and outbound traffic rules that can be applied to specific subnets or individual instances within those subnets.

Custom Security Group:

Custom security groups enable administrators to define specific traffic rules tailored to the needs of individual subnets or VMs. This includes specifying allowed IP ranges, ports, and protocols.

By applying these custom security groups to the UVMs, the organization can control access and enhance security according to their policies and requirements.

Steps to Create a Custom Security Group:

Navigate to the AWS Management Console and go to the VPC service.

Select "Security Groups" under the "Security" section.

Click on "Create Security Group" and define the name, description, and VPC.

Add inbound and outbound rules according to the desired traffic control policies.

Attach the custom security group to the UVMs or subnets in question.

Reference:

Nutanix Cloud Clusters on AWS Administration Guide

AWS Security Group Documentation

Nutanix Best Practices for Security Groups

Question: 4

When configuring an alert email in Prism Central deployed within an NC2 environment, what is required in order for the emails to be sent properly?

- A. SMTP server configured in Prism Central settings
- B. Cluster Super Admin permissions
- C. Name servers configured in Prism Central
- D. A whitelisted public cloud console endpoint

Answer: A

Explanation:

To ensure that alert emails are sent properly from Prism Central within an NC2 environment, configuring an SMTP server in the Prism Central settings is required. The SMTP server facilitates the sending of email notifications for alerts and other communications.

SMTP Configuration:

Prism Central requires an SMTP server to send email alerts. This involves specifying the SMTP server address, port, and authentication details if needed.

The configuration must include the email address from which the alerts will be sent and the recipient addresses.

Steps to Configure SMTP Server in Prism Central:

Log in to Prism Central.

Navigate to the "Settings" menu.

Select "Email Server" under the "Alerts" section.

Enter the SMTP server details, including the server address, port, and authentication credentials.

Test the configuration to ensure emails are sent correctly.

Reference:

Nutanix Prism Central Administration Guide

Nutanix Support Documentation on Email Alert Configuration

Best Practices for Configuring SMTP Servers in Cloud Environments

Question: 5

An administrator has deployed an NC2 on AWS cluster and doesn't have connectivity back to the on-premises environment yet. The administrator wants to SSH into a CVM to edit a security setting and has deployed a Jump Host into an existing public subnet.

What action must the administrator still take to gain access to the CVM?

- A. Edit the CVM iptables to allow SSH.
- B. Edit the User Management Network Security Group to allow SSH from the Jump Host IP.
- C. Edit the UVM security group to allow SSH from the Jump Host IP and remove Cluster Lockdown.
- D. Create Custom Network Security Group at the subnet level and add the IP address of the Jump Host

Answer: B

Explanation:

To SSH into a Controller VM (CVM) in an NC2 on AWS cluster without on-premises connectivity, the administrator needs to ensure that the security settings allow SSH access from the Jump Host. This involves editing the User Management Network Security Group to permit SSH traffic from the Jump Host IP.

Deploy Jump Host:

Ensure the Jump Host is deployed in a public subnet with an Elastic IP (EIP) assigned for external access.

Edit User Management Network Security Group:

Locate the security group associated with the user management network.

Modify the inbound rules to allow SSH (port 22) from the Jump Host's IP address. This ensures that the Jump Host can establish an SSH connection to the CVM.

Steps to Edit Security Group:

Navigate to the EC2 dashboard in the AWS Management Console.

Select "Security Groups" under the "Network & Security" section.

Find and select the appropriate security group.

Edit the inbound rules to add a new rule:

Type: SSH

Protocol: TCP

Port Range: 22

Source: Custom IP (enter the Jump Host's public IP address)

Additional Configuration:

Ensure that the CVM itself allows SSH connections and that no internal firewall rules block the traffic.

Reference:

Nutanix Cloud Clusters on AWS Administration Guide

AWS Security Group Documentation

Nutanix Best Practices for Secure Access

Thank You for trying NCP-CI-AWS PDF Demo

To Buy New NCP-CI-AWS Full Version Download visit link below

<https://www.certkillers.net/Exam/NCP-CI-AWS>

Start Your NCP-CI-AWS Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your NCP-CI-AWS preparation with actual exam questions.

<https://www.certkillers.net>